Journal of Biochemicals and Phytomedicine

eISSN: 2958-8561



Check for updates



Paramita Ganguly ^{1*}, Sudip Kumar Mandal ^{2*}, Prasenjit Mondal ¹, Dhrubo Jyoti Sen ³

¹ Department Pharmaceutical Technology, Brainware University, Kolkata – 700125, India

² Department of Pharmaceutical Chemistry, Dr. B. C. Roy College of Pharmacy and AHS, W.B., India

³ Department of Pharmaceutical Chemistry, School of Pharmacy, Techno India University, Salt Lake City, Sector-V, EM-4, Kolkata-700091, West Bengal, India

ARTICLE INFO

Article Type: Mini Review

Article History:

Received: 25 Feb 2024 Revised: 14 Mar 2024 Accepted: 16 Mar 2024 Available online: 30 Jun 2024

Keywords:

Infectious disease, Virus, Dengue fever, Medicinal plants, Traditional medicine, India

* Corresponding author: pganguly@alfaisal.edu (Ganguly P.), gotosudip@rediffmail.com (Mandal S.K.)

Please cite this paper as

Ganguly P, Mandal SK, Mondal P, Sen DJ. Medicinal plants effective against dengue fever in India: A brief review. Journal of Biochemicals and Phytomedicine. 2024; 3(1): 14-17. doi: 10.34172/jbp.2024.5.

Introduction

Dengue fever, also known as "breakbone fever," is caused by the dengue virus and transmitted through the bite of Aedes mosquitoes. Early symptoms include high fever, severe muscle and joint pain, intense headache, and skin rashes. In more severe the patient may experience serious cases. complications such as bleeding, low blood pressure, and shock. Treatment for dengue fever is primarily supportive, including adequate fluid intake and pain relievers to reduce fever and discomfort. In acute cases, hospitalization and close monitoring of the patient's condition may be necessary. Preventive measures, such as wearing appropriate clothing and using insect repellent, can be highly effective. The sesquiterpenes from essential oils of different plant extracts show a varied range of anti-inflammatory and antiviral activity (Mandal et al., 2020; Das et al., 2022). An alteration in the oxidation/reduction (redox) status of humans infected with virus infections may contribute to the pathogenesis and clinical manifestations of the disease. Alterations in redox markers begin prior to the onset of clinical symptoms, suggesting early changes in the oxidant/antioxidant balance. Falcaria vulgaris has good antioxidant activity which can be clinically

Dengue fever is a viral disease transmitted by Aedes mosquitoes. It is widespread in tropical and subtropical regions and can cause severe health complications, especially in severe cases. Although there is no specific treatment for dengue fever, the use of medicinal plants as a complementary approach to managing the symptoms of this disease is on the rise. This article reviews several medicinal plants effective against dengue fever. In India, medicinal plants such as peppermint, turmeric, black elderberry, green tea, ginger, aloe vera, sage, chamomile, cinnamon, and milk thistle are used to treat dengue fever.

ABSTRACT

Ganguly P., et al.; 2024

useful in the management of patients with dengue virus infection (Shahsavari et al., 2022). *Agaricus bisporus*, with its anti-inflammatory, antioxidant, and analgesic activity, can show an effective result in the treatment of dengue fever (Bose et al., 2019). Clove and coriander have antimicrobial activity which can be effective in the treatment of dengue fever (Ganguly et al., 2023). This brief review aims to identify medicinal plants used in India to treat dengue fever (Carroll et al., 2007).

Different Types of Plants Used to Treat Dengue Fever

Peppermint (Mentha piperita)

Peppermint, scientifically known as Mentha piperita, is renowned for its soothing and anti-inflammatory properties (Ansari et al., 2000). The primary active compound, menthol, helps reduce fever and alleviate pain (Aljameeli, 2023). Menthol works as a cooling and calming agent, aiding in the reduction of heat and discomfort in the body. Studies have shown that peppermint can improve dengue fever symptoms (Aljameeli, 2023).

Turmeric (Curcuma longa)

Turmeric, with its active compound curcumin, is well-known for its powerful anti-inflammatory and antioxidant properties, which can help reduce inflammation and improve the condition of patients with dengue fever (Ichsyani et al., 2017). Curcumin works by inhibiting inflammatory pathways and the release of pro-inflammatory cytokines (Sukari et al., 2010). Research indicates that curcumin can boost the immune system and alleviate dengue fever symptoms (Panghiyangani et al., 2012).

Black Elderberry (Sambucus nigra)

Black elderberry, or *Sambucus nigra*, is recognized for its antiviral and immune-boosting properties (Mahboubi, 2021). The primary active compounds, anthocyanins, can help mitigate the effects of dengue fever. These compounds inhibit viral replication and enhance immune response (Akwayamai et al., 2020). Studies suggest that black elderberry extract can shorten the duration of the illness in dengue patients (Omer et al., 2022).

Green Tea (Camellia sinensis)

Green tea, scientifically known as Camellia sinensis, is valued for its catechins and antioxidant properties (Xu et al., 2017). These compounds strengthen the immune system and reduce inflammation in dengue patients (Mahajan et al., 2020). Catechins work by inhibiting viral replication and reducing inflammatory responses. Research has found that consuming green tea can lower fever and improve patient outcomes (Raekiansyah et al., 2018).

Ginger (Zingiber officinale)

Ginger, or Zingiber officinale, is an effective medicinal plant known for its anti-inflammatory and

pain-relieving properties (Kaushik et al., 2020). The primary active compound, gingerol, helps reduce fever and pain associated with dengue fever (Qadir et al., 2015). Ginger works by inhibiting inflammatory pathways and reducing prostaglandin release. Studies have shown that ginger extract can help alleviate symptoms of the disease (Boekoesoe & Ahmad, 2022).

Aloe Vera (Aloe barbadensis miller)

Aloe vera, scientifically known as Aloe barbadensis miller, is recognized for its anti-inflammatory and soothing properties. The plant contains active compounds like aloins and polysaccharides, which help reduce fever and inflammation in dengue patients (Wahyuni et al., 2019). Aloe vera's mechanism involves anti-inflammatory effects and immune system support. Research has shown that aloe vera can relieve disease symptoms (Subramaniam et al., 2012).

Sage (Salvia officinalis)

Sage, or Salvia officinalis, is known for its antiinflammatory and soothing properties. The primary active compound, carnosic acid, helps improve the condition of patients with dengue fever (Noisakran & Perng, 2008). Carnosic acid, as a potent antioxidant and anti-inflammatory agent, helps reduce inflammation and enhance the immune system (Miranda et al., 2013). Studies have shown that sage can reduce fever and relieve pain (Suganthan et al., 2020).

Chamomile (Matricaria chamomilla)

Chamomile tea, derived from Matricaria chamomilla, is appreciated for its calming and anti-inflammatory effects (Chansang et al., 2018). The primary active compound, azulene, helps reduce inflammation and alleviate dengue fever symptoms (Chaiphongpachara et al., 2020). Azulene works by reducing inflammation and soothing pain. Research indicates that chamomile tea can reduce fever and improve sleep (Noisakran & Perng, 2008).

Cinnamon (Cinnamomum verum)

Cinnamon, scientifically known as Cinnamomum verum, is well-known for its anti-inflammatory and antioxidant properties (Chansang et al., 2018). The primary active compound, cinnamaldehyde, helps reduce fever and inflammation. Cinnamaldehyde works by inhibiting inflammatory proteins and reducing the production of pro-inflammatory cytokines (Chaiphongpachara et al., 2020). A study found that cinnamon can be effective as a complementary treatment in reducing dengue fever symptoms (Thomas et al., 2017).

Milk Thistle (Silybum marianum)

Milk thistle, or Silybum marianum, is recognized for its antioxidant and anti-inflammatory properties (Low et al., 2021). The primary active compound, silymarin, helps strengthen the immune system and reduce inflammation (Wangkheirakpam, 2018). Silymarin's mechanism involves reducing oxidative stress and inflammation. Studies have shown that milk thistle can improve the condition of patients with dengue fever (Qaddir et al., n.d.).

Clove (Syzygium aromaticum)

Clove is well known for its anti-inflammatory activity and also has antimicrobial activity. The active constituent eugenol helps to reduce inflammation. Because of eugenol's well-known anti-inflammatory and antioxidant qualities, the body may experience less oxidative stress and inflammation (Low et al., 2021).

Conclusion

Using medicinal plants as complementary treatments in managing dengue fever can positively impact symptom control and improve patient health. Plants such as peppermint, turmeric, black elderberry, green tea, ginger, aloe vera, sage, chamomile, cinnamon, and milk thistle each offer medicinal properties and mechanisms that help reduce fever and improve the condition of dengue fever patients. However, patients should consult their physician before using any herbal treatments to avoid potential interactions with other medications.

Declarations

Conflict of interest

The authors declared no conflict of interest.

Acknowledgement

NA.

Consent for publications

The authors approved the manuscript for publication.

Funding/support

None.

Authors' contributions

All authors were equally involved in searching, writing and editing the article.

Ethical considerations

All ethical issues, including plagiarism, misconduct, data fabrication, falsification, double publication, or submission redundancy, have been fully observed.

References

Akwayamai JJ, Ahmed MU, Tirah G, Samuel K, Usman WA, Bulus H. A Review of Medicinal Plants with Anti-Dengue Virus Activity. Journal of Herbal Medicine. 2020;21:100394. doi: 10.24018/ejpharma.2022.2.2.20. Aljameeli M. Larvicidal effects of some essential oils against Aedes aegypti (L.), the vector of dengue fever in Saudi Arabia. Saudi Journal of Biological Sciences. 2023;30(2):103552. doi: https://doi.org/10.1016/j.sibs.2022.102552

https://doi.org/10.1016/j.sjbs.2022.103552.

Ansari MA, Vasudevan P, Tandon M, Razdan RK. Larvicidal and mosquito repellent action of peppermint (Mentha piperita) oil. Bioresource Technology. 2000;71(3):267-271. doi: https://doi.org/10.1016/S0960-8524(99)00079-6.

Boekoesoe L, Ahmad ZF. Zingiber officinale Rosc activity as natural insecticide of Aedes aegypti larva. Systematic Reviews in Pharmacy. 2022;13(1):123-130. DOI: 0.31858/0975-8453.13.2.98-101.

Bose SK, Mandal SK, Hossain P, Das A, Das P, Nandy S, et al. Phytochemical and Pharmacological Potentials of *Agaricus bisporus*. Research Journal of Pharmacy and Technology. 2019;12(8):4084-4091. doi: 10.5958/0974-360X.2019.00653.X.

Carroll ID, Toovey S, Van Gompel A. Dengue fever and pregnancy—a review and comment. Travel Medicine and Infectious Disease. 2007;5(3):183-188. DOI: https://doi.org/10.1016/j.tmaid.2006.11.002.

Chaiphongpachara T, Laojun S, Wassanasompong W. Screening seven commercial essential herb oils for larvicidal activity against the mosquito Aedes aegypti (Linnaeus), a vector of the dengue virus. Journal of Applied Pharmaceutical Science. 2020;10(7):43-50. DOI: 10.7324/JAPS.2020.10706.

Chansang A, Champakaew D, Junkum A, Amornlerdpison D, Chaithong U, Jitpakdi A, et al. Potential of natural essential oils and cinnamaldehyde as insecticides against the dengue vector Aedes aegypti (Diptera: Culicidae). Southeast Asian Journal of Tropical Medicine and Public Health. 2018;49(1):6-22.

Das N, Salgueiro AC, Choudhury DR, Mandal SK, Logesh R, Hassan MM, Devkota HP. Traditional uses, phytochemistry, and pharmacology of genus Vitex (Lamiaceae). Phytotherapy Research. 2022;36(2):571-671. doi: 10.1002/ptr.7330.

Ganguly P, Julekha K, Mandal SK. Formulation and development of clove and coriander combination herbal dental anticaries gel and evaluation of its antimicrobial activity. Current Traditional Medicine. 2023;8(2):189-200. doi:

10.2174/2215083810666230810094713.

Ganguly P, Kazi J, Banerjee SS, Mondal B, Chakroborty T, Sarkar S, et al. Eugenol nanoparticles as an effective treatment in colon cancer. African Journal of Biological Sciences. 2024;6(5):9137-9154. Doi: 10.48047/AFJBS.6.5.2024. 9137-54.

Ichsyani M, Ridhanya A, Risanti M, Desti H, Ceria R, Putri DH, et al.. Antiviral effects of Curcuma longa L. against dengue virus in vitro and in vivo. In: IOP Conference Series: Earth and Environmental Science. 2017;101(1):012005. doi: 10.1088/1755-1315/101/1/012005.

Ganguly P., et al.; 2024

Kaushik S, Jangra G, Kundu V, Yadav JP, Kaushik S. Anti-viral activity of Zingiber officinale (Ginger) ingredients against the Chikungunya virus. Virusdisease. 2020;31:270-276. doi: 10.1007/s13337-020-00584-0.

Low ZX, OuYong BM, Hassandarvish P, Poh CL, Ramanathan B. Antiviral activity of silymarin and baicalein against dengue virus. Scientific Reports. 2021;11(1):21221. Doi: 10.1038/s41598-021-98949-y.

Mahajan P, Tomar S, Kumar A, Yadav N, Arya A, Dwivedi VD. A multi-target approach for discovery of antiviral compounds against dengue virus from green tea. Network Modeling Analysis in Health Informatics and Bioinformatics. 2020;9:1-10.

Mahboubi M. Sambucus nigra (black elder) as alternative treatment for cold and flu. Advances in Traditional Medicine. 2021;21(3):405-414. doi: 10.1007/s13596-020-00469-z.

Mandal SK, Debnath U, Kumar A, Palit P. Natural Sesquiterpene lactones in the prevention and treatment of inflammatory disorders and cancer: systematic study on this emerging therapeutic approach through chemical and pharmacological aspect. Letters in Drug Design & Discovery. 2020;17(9). doi:

10.2174/1570180817999200421144007.

Miranda CH, Borges MD, Schmidt A, Pazin-Filho A, Rossi MA, Ramos SG, et al. A case presentation of a fatal dengue myocarditis showing evidence for dengue virus-induced lesion. European Heart Journal: Acute Cardiovascular Care. 2013;2(2):127-130. DOI: 10.1177/2048872613475889.

Noisakran S, Perng GC. Alternate hypothesis on the pathogenesis of dengue hemorrhagic fever (DHF)/dengue shock syndrome (DSS) in dengue virus infection. Experimental Biology and Medicine. 2008;233(4):401-408.

Noisakran S, Perng GC. Alternate hypothesis on the pathogenesis of dengue hemorrhagic fever (DHF)/dengue shock syndrome (DSS) in dengue virus infection. Experimental Biology and Medicine. 2008;233(4):401-408.

Omer AK, Khorshidi S, Mortazavi N, Rahman HS. A review on the antiviral activity of functional foods against covid-19 and viral respiratory tract infections. Int J Gen Med. 2022;15:4817-4835. doi: 10.2147/IJGM.S361001.

Panghiyangani R, Marlinae L, Isnaini I, Rahman F. Potential of turmeric rhizome essential oils against *Aedes aegypti* larvae. Universa Medicina. 2012;31(1):20-26.

Qaddir I, Majeed A, Hussain W, Mahmood S, Rasool N. An in silico investigation of phytochemicals as potential inhibitors against non-structural protein 1 from dengue virus 4. Brazilian Journal of Pharmaceutical Sciences. 2020;56.

Qadir MI, Abbas K, Tahir M, Irfan M, Raza Bukhari SF, Ahmed B, Hanif M, Rasul A, Ali M. Dengue fever: Natural management. Pakistan Journal of Pharmaceutical Sciences. 2015;28(2):387-395.

Raekiansyah M, Buerano CC, Luz MA, Morita K. Inhibitory effect of the green tea molecule EGCG against dengue virus infection. Archives of Virology. 2018;163:1649-1655. doi: 10.1007/s00705-018-3769-y.

Shahsavari S, Sarkar S, Sen DJ, Mandal SK. Determination of the Total Antioxidant Activity of Methanolic Extract of Falcaria Vulgaris. Journal of Biochemicals & Phytomedicines. 2022;1(1):8-12. doi: 10.34172/jbp.2022.3.

Subramaniam J, Kovendan K, Kumar PM, Murugan K, Walton W. Mosquito larvicidal activity of Aloe vera (Family: Liliaceae) leaf extract and Bacillus sphaericus, against Chikungunya vector, Aedes aegypti. Saudi Journal of Biological Sciences. 2012;19(4):503-509.

Suganthan N, Sakthilingham G, Kumanan T. Dengue fever complicated with acute liver failure: A case report of expanded dengue syndrome and literature review. SAGE Open Medical Case Reports. 2020;8:2050313X20913428. doi: 10.1177/2050313X20913428.

Sukari MA, Rashid NY, Neoh BK, Bakar NA, Riyanto S. Larvicidal activity of some Curcuma and Kaempferia rhizome extracts against dengue fever mosquito Aedes aegypti Linnaeus (Diptera: Culicidae). Asian Journal of Chemistry. 2010;22(10):7915.

Thomas A, Mazigo HD, Manjurano A, Morona D, Kweka EJ. Evaluation of active ingredients and larvicidal activity of clove and cinnamon essential oils against Anopheles gambiae (sensu lato). Parasites & Vectors. 2017;10:1-7.

Wahyuni MS, Cahyani SD, Azizah R, Diyanah KC. A systematic review on the effectiveness of biological larvaside in vector control efforts in dengue fever disease. Malaysian Journal of Medicine and Health Sciences. 2019;15(3):66-69.

Wangkheirakpam S. Traditional and folk medicine as a target for drug discovery. In: Natural Products and Drug Discovery. 2018. Elsevier.

Xu J, Xu Z, Zheng W. A review of the antiviral role of green tea catechins. Molecules. 2017;22(8):1337. doi: 10.3390/molecules22081337.

Copyright © 2024 The Author(s). This is an openaccess article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.